

Index

Numbers

- 24p video formats 325
- 35mm-equivalent focal length 198
- 50i and 50p video formats 324
- 50i version of DSC-RX100 II camera 305
- 60i and 60p video formats 324–325, 325
- 60i version of DSC-RX100 II camera 305
- 1440 x 1080 video setting 326

A

- AC adapter
 - Sony AC-UD10 or AC-UD11 399
- Access Point Settings menu option 250, 309–310, 355
- Adobe Camera Raw software 111, 373–374
- Adobe Lightroom software 384
- Adobe Photoshop software 200, 384
- Adobe Premiere Pro software 323, 350
- AEL Toggle option 226
 - using during movie recording 343
- AF Illuminator menu option 204, 214
- AF Illuminator/Self-timer Lamp 22, 214
- AF/MF Control Toggle option 140, 228
 - using during movie recording 344
- Airplane Mode menu option 313
 - disabling all Wi-Fi functions with 352
- Anti Motion Blur setting 54, 75–76, 379
- Aperture
 - adjusting during movie recording 333
 - in general 57
 - limitations on wide settings 62
 - relationship to depth of field 58–60
 - setting in Aperture Priority mode 60
 - setting in Manual exposure mode 66

- Aperture Priority exposure mode for movie recording 332
- Aperture Priority mode 57–61
- Aperture range 57, 67
- Apple iMovie software 323, 350
- Apple iPods, iPhone, and iPads
 - playing movies on 428
- Apple iTunes
 - playing movies in 428
- Apple QuickTime software 323
- Area Setting menu option 297
- Aspect Ratio setting 106–109
 - relationship to Image Size setting 103–104
 - unavailability in Sweep Panorama mode 109
- Astrophotography 386–388
- Audio Recording menu option 329
- Audio Signals menu option 307
- Autoexposure lock 226
- Autofocus Area menu option 140–142
 - Center setting 142
 - Flexible Spot setting 142
 - Multi setting 141
- Auto Object Framing menu option 148–149
- Auto Review menu option 47, 238, 268
- AVCHD format for movies 322–323
 - location of files on memory card 323, 350

B

- Backlight Correction HDR feature 54
- Battery
 - charging when connected to computer by USB 307
 - generic replacement 398
 - Sony NP-BX1 398
 - charging and inserting 6–7
 - length of time to charge fully 9
- Battery and memory card compartment 23
- Battery charger
 - external 398
 - Sony AC-UB10 6, 8, 399
 - USB 399
- Bit rate for movie recording 325
- Blurred background 31, 60
 - for movie recording 333
- Bokeh 31, 60

- Bounce flash 213
- BULB setting for shutter speed 67, 405, 429

C

- Cases for DSC-RX100 II
 - Lowepro Inverse 100 AW 397
 - Lowepro Tahoe 30 396
 - Sony LCJ-RXA 394
 - Sony LCJ-RXC 395
 - Tamrac 5692 396
- Celestron Regal 80F-ED spotting scope 389
- Center button 225
 - using during movie recording 343
- Charging lamp 212
 - indication of battery charging status 9
- Clear Image Zoom menu option 198–203
 - incompatibility with some settings 203
- Clock Setup menu 16, 296–297
- Closeup photography. See Macro photography
- Color Space menu option 205
- Color temperature 160
- Compression of images 110
- Continuous shooting
 - incompatibility with some settings 426
 - in general 114
 - using flash with 39
 - using in Intelligent Auto mode 41
 - using with flash 117
 - with autofocus 116
- Continuous Shooting setting 116
 - speed 117
- Contrast
 - adjusting with Creative Style option 178–179
- Control ring 22, 214–215
 - assigning functions to 214–215, 276
 - icon on display screen 224
 - limitation on using to adjust settings 73
 - using to control manual focus 216
 - using to select values on Function Button menu 216
 - using to zoom the lens 212
- Control ring display 73, 280
- Control Ring Display menu option 280
- Control Ring menu option 212, 214, 276

- Controls and items on bottom of camera 23
- Controls and items on front of camera 22, 213
- Controls on back of camera 20, 216
- Controls on top of camera 19, 210
- Control wheel 21
 - buttons at edges of 21
 - functions of 224
 - icon on display screen 224
 - using to set both aperture and shutter speed 66
- Control wheel and its buttons 223–234
- Control with Smartphone menu option 113, 363–369
 - image size for images captured remotely 366
 - limitations 367
 - options for controlling camera 366
 - range for wireless remote control 363, 367
 - suggested uses for 367
- Creative Style menu option 177–183
 - adjusting contrast, saturation, and sharpness 178–179, 427
 - availability with movie recording 338
 - chart of sample images 181
 - comparison to similar Scene mode settings 183
 - descriptions of settings 182
 - incompatibility with some settings 180
 - list of available settings 178
 - use with Raw images 180
- CTRL for HDMI menu option 304
- Custom menu 263–289
- Custom white balance
 - procedure for setting 165–166

D

- Date and time
 - setting 16, 296
- Date/Time Setup menu option 296
- Day for night shooting for movie recording 335
- Delete button 21, 220–221
 - using to delete individual images 223, 244
- Delete menu option 254
- Demo Mode menu option 316
- Depth of field
 - controlling with aperture 58–60
 - for movie recording 333
- Digiscoping 389

- Digital Print Order Format (DPOF) feature 258–259
- Digital Zoom menu option 198–203
 - always active when recording movies 203, 337
 - incompatibility with some settings 203
- Dimmed items on menu screens 101
- Direction buttons
 - in general 230
- Display button
 - using to change display screens 231, 269
- Display Button menu option 269–272
- Display Card Space menu option 295
- Display MAC Address menu option 312
- Display screens
 - playback mode 241
 - shooting mode 269–272
 - selecting which screens display 269–272
- DLNA server 252
- Drive Mode button 235
- Drive Mode menu option 114–125
 - using in Intelligent Auto mode 40–41
- DRO. See Dynamic Range Optimizer (DRO) setting
- DRO/Auto HDR menu option 170–177
 - incompatibility with some settings 177
- Drop Sensor menu option 315
- Dynamic Range Optimizer (DRO) setting 170–172

E

- Edit Device Name menu option 311
- Electronic level 270
- Electronic viewfinder
 - Sony FDA-EV1MK 264
 - setting brightness level for 302
 - switching view between viewfinder and LCD 264
- Enlarging images in playback mode 47, 241
- Exposure bracketing 123–124
 - use for HDR photography 176
- Exposure compensation 32, 232–233
 - assigning to control ring 233–234
 - using during movie recording 341
 - using when shooting panoramas 91
- Eye-Fi card 353
 - general considerations for using 12
 - turning off with menu option 304

F

- Face Detection settings 145–146
- Face Priority Tracking menu option 288
- Face Registration menu option 289
- Fade to black or white in movie recording 334
- FH video format 325
- File Format menu option 322
- File Number menu option 291–292
- Filter adapter 390
 - Lensmate version 387, 402
 - Magfilter system 402
 - Sony VFA-49R1 387, 400–401
 - using to connect camera to telescope 387
- Finder/LCD Setting menu option 264, 417–416
- Fireworks setting of Scene mode 86
- Firmware version of camera 314
- Flash
 - built-in unit 20, 212
 - general characteristics 37
 - using finger to pull into bounce position 213
 - diffusing 429
 - external units 406–416
 - Canon 430EXII 411
 - Canon HF-DC2 410–411
 - Fujifilm EF-20 408
 - Fujifilm EF-42 407
 - Metz Mecablitz 36 AF-4 411
 - Panasonic DMW-FL220 407, 411
 - setting RX100 II so display is visible when using 408–409
 - Sony HVL-F20M 160, 406
 - Sony HVL-F43M 406
 - Yongnuo YN560 III 409, 411, 412, 414
 - Zeikos Digital Slave Flash 408, 409
 - incompatibility with other settings 39
 - radio transmitters and receivers 411
 - CowboyStudio NPT-04 411
 - Hensel Strobe Wizard Plus 413
 - softbox 413–414
 - Photoflex LiteDome XS 413
 - using in Intelligent Auto mode 36–40
 - using with continuous shooting 39
- Flash button 231

- Flash Compensation menu option 158
 - incompatibility with some settings 159
 - use with external flash 160
 - use with outdoor portraits 159
- Flashing aperture value 65
- Flashing shutter speed value 61
- Flash Mode menu option 37, 131–137, 231
 - Autoflash setting 27, 40, 126
 - Fill-flash setting 38, 40, 126
 - using for outdoor shots 126
 - Flash Off setting 40, 126
 - in Program mode 40
 - Rear Sync setting 129–130
 - Slow Sync setting 85, 128–129
- Focus
 - basic procedure 28
- Focus locking 133
- Focus Magnifier option 137, 229
- Focus Magnifier Time menu option 137, 287–288
- Focus Mode menu option 131–139
 - Continuous AF setting 133
 - Direct Manual Focus (DMF) setting 134, 427
 - setting during movie recording 344
 - settings available for movie recording 344
 - Single-shot AF setting 132–133
- Format command 15, 290
- Function button menu 218–219, 281–282
- Function Button menu option 281–282
- Function (Fn) button 21, 218–219
 - assigning options to 281–282
 - using during movie recording 342
 - using to rotate images in playback mode 220, 245–246
- Function of Center Button menu option 226–230
- Function of Left Button menu option 284
- Function of Right Button menu option 285
- FX video format 325

G

- Gourmet setting of Scene mode 78
- Gray card
 - using to set white balance 166
- Grayed-out. See Dimmed
- Grid Line menu option 265–266

Grip

- Richard Franiec version 402

- Sony AGR1 403

H

Hand-held Twilight setting 54, 83, 379–380

- compared to Anti Motion Blur setting 84

HDMI port 23, 392

HDMI Resolution menu option 304

HDR. See High Dynamic Range (HDR)

HDR menu option 172–175

HDR Painting setting 192–193

High Contrast Monochrome setting 191

High Dynamic Range (HDR) photography 173

- creating images for 69

High ISO Noise Reduction menu option 204

Highlights

- blinking on playback histogram display 244

High Sensitivity setting of Scene mode 86, 155, 380

- compared to Hand-held Twilight setting 87

- using for street photography 381–380

Histogram

- in general 242–243

- playback mode 242–243

- shooting mode 271

Hoya R72 infrared filter 390

Illustration setting 197

- applying in playback mode 260

Image Data Converter software 111, 180

- obtaining and installing 5

Image files

- location on memory card 350

Image Index menu option 257

Image Size (Dual Recording) menu option 322–321, 327

Image Size menu option 102–105

- considerations for making setting 104, 152

- unavailable for setting with Raw quality 105

In-Camera Guide button 21, 220–221

- using to display help screens for features 221

- using to reset Photo Creativity options 36, 221

Index screens in playback mode 48, 239, 257, 347

- Infrared photography 390
- Initialize menu option 317
- Intelligent Auto mode 50–51
 - settings available 51
 - suggested settings for general photography 26
 - using for basic photography 24–28
- Interlaced video formats 324
- ISO 150–155
 - Auto ISO setting 153
 - considerations for selecting value 69, 150
 - image quality with high setting 151
 - maximum value for movie recording 333, 337
 - procedure for setting 152–154
 - setting for movie recording 335, 344
 - setting in Manual exposure mode 68–69
- ISO 100 and ISO 125
 - not native settings 156
- ISO 25600
 - ways to make setting 88, 153, 154, 377
- ISO Auto Minimum and Maximum 153

J

- JPEG images
 - compared to Raw images 110–111
 - file size 111
 - in general 110

L

- Landscape setting of Scene mode 80
- Language
 - setting 17, 315
- Language menu option 315
- LCD Brightness menu option 300, 416
- LCD screen 21
 - ability to tilt upward or downward 235
 - in general 235
- LED light
 - CN-160 415
- Lens
 - aperture range 22
 - focal length 22
- Long Exposure Noise Reduction menu option 204

- Low-light photography 375–382
 - table comparing shooting modes 383

M

- Macintosh computers
 - software to use for image editing 5, 49
- Macro photography 79, 372–375
 - focus range 371
 - lighting options 372
 - using manual focus or DMF 371
- Macro setting of Scene mode 79, 369
- Manual exposure mode 65–69
 - reasons for using 69
 - unavailability of Auto ISO setting 156
- Manual Exposure mode for movie recording 334–335
- Manual focus 136–140
 - AF/MF Control Toggle option 228
 - magnifying screen 136
- Meade ETX-90/AT telescope 387
- Megapixels 102
- Memory card
 - capacity to store images and videos 11, 105, 320
 - compatibility with computer 12
 - considerations for choosing 10–13
 - formatting 15
 - inserting in camera 14
 - removing from camera 14
 - requirement to install in camera 9
 - speed 11, 320
 - types of 9–13
- Memory Card Tool menu 15, 290–295
- Memory menu item 96, 209
 - viewing additional settings screens 209
- Memory Recall menu option 208, 427
 - viewing additional settings screens 209
- Memory Recall mode 95–98
 - making settings 208
 - settings that can be stored 98
- Memory Stick card 10, 14
- Menu button 21, 218
- Menu Start menu option 298
- Metering Mode menu option 156–158
- MF Assist menu option 136, 216, 286, 388

Microphone

external

Sony ECM-XYST1M 422

Micro-SD card 10

Microsoft Windows Movie Maker software 323, 350

Miniature Effect setting 194

M.M. (metered manual) indicator 66, 226

Mode dial 20, 211

effect of setting on movie recording 336

Mode Dial Guide 25, 208, 299

using in Scene mode 72

Mode Dial Guide menu option 299, 330

Moon

photographing 388

Movie button 21, 217

preventing activation except in Movie mode 211, 217, 285

using to start movie recording 322

Movie Button menu option 45, 217, 285, 322, 339

Movie exposure mode. See Movie menu option

Movie menu

in general 321

Movie menu option 330–336, 336, 345

Movie recording

basic settings for 344

day for night shooting 335

effects of physical controls 340–344, 345

effects of Shooting menu settings 337–340

fade to black or white 334

in Intelligent Auto mode 44–46

recommended settings for Intelligent Auto mode 45

selecting exposure mode 330–333

shooting still images during 327, 346

limitation on 322, 327

suggested settings 345

time limitations 46, 320, 327

using Photo Creativity feature 340

Movies

editing on computer 350

MP4 format for movies 322–323

location of files on memory card 323, 351

Multi Frame Noise Reduction setting 88, 154–155, 376, 381–382

incompatibility with some settings 155, 337

Multi port 22, 404

N

Near Field Communication

- location of active point for connection 23, 361
- using to connect camera to smartphone 249, 358, 360–363, 367

New Folder menu option 293

NFC. See Near Field Communication

Night Portrait setting of Scene mode 85, 378

Night Scene setting of Scene mode 82, 377

NO CARD error message 9

NTSC video system 324

O

Optical zoom 198–200

Overlay icon 54

P

PAL/NTSC Selector menu option 305, 324

- available only on cameras sold in PAL areas 305

PAL video system 324

Panorama Direction menu option 90, 112

- setting direction with control ring 113
- using to shoot taller panoramas 90

Panoramas

- playing back in camera 93

Panorama Size menu option 90, 112

Partial Color setting 189

- altering range of selected color 190

Peaking Color menu option 139, 275

Peaking Level menu option 138, 273–275, 388, 389

- using with Direct Manual Focus 275

Pet setting of Scene mode 77

Photo Creativity feature

- Background Defocus 31
- Brightness 32
- Color 33
- combining multiple effects 35
- effect on movie recording 340
- incompatibility with Raw quality 29
- in general 29–31
- Picture Effect 35–36
- Vividness 34

Photomatix Pro software 176

- Picture Effect menu option 183–198
 - availability with movie recording 338
 - chart of sample images 184–185
 - compatibility with other settings 183
 - incompatibility with some settings 197
 - individual settings listed by name. See also Dynamic Range Optimizer (DRO) setting
 - making settings 184
- Picture Effect menu option (playback mode) 260
- Playback button 21, 216
 - using to turn on camera 212, 216
- Playback Display menu option 262
- Playback menu 246–262
- Playback of images
 - basic procedures 47, 238
- Playback of movies 48, 347–349
 - adjusting volume 235, 261
 - using center button for playback and pause 229
- PlayMemories Home software 49, 250, 350, 353
 - obtaining and installing 5
- PlayMemories Mobile app 249, 358, 363, 365, 367
- Pole aerial photography 368
- Pop Color setting 187
- Portrait setting of Scene mode 74
- Posterization setting 188–189
- Power button 20, 212
- Power Save menu option 302
- Power Saving Start Time menu option 303
- Printing images directly from camera 258–259
 - using PictBridge printer 260
- Program Auto exposure mode for movie recording 331
- Program Mode 55–56
- Program Shift 55–56
- Progressive video formats 324
- Protect menu option 257
- PS video format 325

Q

- Quality menu option 109–112

R

- Raw format
 - compared to JPEG 110
 - disadvantages 375
 - general characteristics 110–111, 375–377
 - incompatibility with some settings 111, 112, 373
 - size of image files 111
 - use for bringing out details in images 177
 - using to correct problems with settings 373–375
- Record Setting menu option 324–327
 - choices for AVCHD format 324
 - choices for MP4 video format 326
- Recover Image Database menu option 294–295
- Red Eye Reduction menu option 265
- Remote control
 - Sony RM-VPR1 403–405
 - using with BULB setting 68
- Resolution of images 103
- Retro Photo setting 188
- Rich-tone Monochrome setting 194
- Rotating images in playback mode 220, 245–246, 262
- Rule of Thirds 267

S

- Saturation
 - adjusting with Creative Style option 178
- Scene detection 51
- Scene mode 70–86. See also Individual Scene mode settings listed by name
 - effect on movie recording 339
 - in general 70
 - making settings 71–72, 207
 - using control ring 73, 208
- Scene Selection menu option 72, 207
- SD card 10
- SDHC card 10
- SDXC card 10
- Sekonic Prodigy color temperature meter 163
- Selecting still images or movies in playback mode 240, 253
- Select REC Folder menu option 292–293
- Self-portrait timer 121
- Self-timer 119
 - making settings 120
 - taking multiple shots with 122

Self-timer (*continued*)

using in Intelligent Auto mode 41

Self-timer (Continuous) 122

Send to Computer menu option 250, 353–356

Send to Smartphone menu option 247–250, 357–363

Image size for transferred images 363

Setup menu 17, 298–317

Sharpness

adjusting with Creative Style option 178–179

Shooting menu

in general 99–101

Shooting modes

list of 50

Shooting Tip List menu option 206, 220

Shutter button 20, 211

Shutter Priority exposure mode for movie recording 333

Shutter Priority mode 62–64

Shutter speed

BULB setting 67

setting in Manual exposure mode 66

setting in Shutter Priority mode 64–65

Shutter speed range

for movie recording 332, 333–334, 334

in Aperture Priority mode 62

in Manual exposure mode 67

in Shutter Priority mode 62

Single Shooting setting 115

Slide Show menu option 256

Slow-motion video

format for recording 325

Smile/Face Detection menu option 145–147

setting during movie recording 344

Smile Shutter option 147

Soft Focus setting 191

Soft High-key setting 189

Soft Skin Effect menu option 143

Sony DSC-RX100 II camera

general features of 1

items shipping with 5

Sony Xperia Tablet Z 360, 361

Speaker

location of 23

Specify Printing menu option 258–259

- Speed Priority Continuous Shooting 117
 - speed 118
- Sports Action setting of Scene mode 76
- SSID/PW Reset menu option 312
- SteadyShot menu option (Movie menu) 328–329
- SteadyShot menu option (still images) 205
- Step Zoom option 212, 277–279
 - limitations 278–279
- Still images
 - shooting during movie recording 327
 - limitation on 322, 327, 346
- Still/Movie Select menu option 253, 347
- StopShot device 69
- Street photography
 - advantages of DSC-RX100 II for 383
 - suggested settings 384–385
 - using tilting LCD display for 237
- Sunset setting of Scene mode 81
- Superior Auto mode 53–54
- Sweep Panorama mode 88–94
 - incompatibility with some settings 89
 - procedure for shooting panoramas 92
 - suggested settings 91

T

- Telescope
 - connecting to DSC-RX100 II 387–388
- Television set
 - connecting camera to with HDMI cable 391
- Time-lapse photography 117, 429
- Time zone
 - changing 297
- Toy Camera setting 186
- Tracking Focus 42–43, 226, 283
- Tripod
 - Manfrotto BeFree 425
 - problem of interference with control ring 423
- Tripod screw 424
- Tripod socket 23
- Tv notation on display 64

U

- Upload Settings menu option 304
 - only visible when Eye-Fi card installed 304
- USB cable 23
 - using to charge battery in camera 6, 8
- USB Connection menu option 306
- USB LUN menu option 306
- USB Power Supply menu option 307

V

- Version menu option 314
- VGA setting for Image Size
 - available only with 4:3 aspect ratio 104
- VGA video setting 326
- Video recording. See *Movie recording*
- Viewfinder Brightness menu option 302
- Viewfinders 416–421
 - electronic
 - Sony FDA-EV1MK 416
 - external viewing aids
 - Clearviewer 420
 - Hoodman HoodLoupe 418–419
 - Sony CLM-V55 Clip-On LCD Monitor 421
 - optical
 - Sony FDA-V1K 419
 - Voigtlander 28mm 419
- View on TV menu option 251, 392
- Volume Settings menu option 261

W

- Watercolor setting 196
 - applying in playback mode 260
- Water drop collisions
 - photographing 69
- White balance
 - adjusting 33
 - adjusting after the fact for Raw images 168
 - using “incorrect” settings purposely 168
- White balance bracketing 124
- White Balance menu option 160–169
 - Auto White Balance setting 161
 - chart of sample images 168

White Balance menu option (*continued*)
 Color Temperature/Filter setting 163
 making fine adjustments 167, 427
 preset settings 162
 setting custom white balance 165–166
Wind Noise Reduction menu option 330
Wireless Auto Import software 250, 353
WPS button on Wi-Fi router 308, 354
WPS Push menu option 250, 308, 354
Wrist strap 6
Write Date menu option 206–207

Z

Zone focusing 228
Zoom Function on Ring menu option 212, 277–279
Zoom lever 20, 212
 using to compose image 27
Zoom range
 indications on display screen 200–201
 optical zoom 198
 relationship to image size 199
 table of values by image size and zoom type 203